What is claimed is:

1. A soft input soft output (SISO) decoder for use in a hardware based turbo code decoder for receiving a sequence of samples representing a series of transmitted codewords selected from a known set of codewords, the SISO decoder comprising:

a metric aggregator for receiving and manipulating branch and state metric pairs, the branch and state metric pairs being related to the sequence of samples; and

a codeword resolver for resolving the manipulated branch and state metrics pairs to a codeword in the set, in accordance with an un-normalized likelihood relationship between the received branch and state metrics pairs and the known set of codewords.

- 2. The turbo decoder of claim 1 wherein the metric aggregator includes a plurality of D-type flip-flops and a plurality of adders, each D-type flip-flop of the plurality of D-type flip-flops for receiving one of the branch or state metrics in each pair, and each adder for receiving related branch and state metrics from an associated D-type flip-flop.
- 3. The turbo decoder of claim 2 wherein the D-type flip-flops are 8 bits in length.
- 4. The turbo decoder of claim 2 wherein the adders add 6 bit and 8 bit values.

20

30

5

10

15

- 5. The turbo decoder of claim 1 wherein the codeword resolver includes a hybrid architecture for state-metric calculation.
- 6. The turbo decoder of claim 1 wherein the codeword resolver includes two MIN* modules at a first level for receiving data associated with aggregated branch and state metrics, the outputs of two MIN* modules being provided to a third MIN* module.
 - 7. The turbo decoder of claim 1 wherein the codeword resolver includes two MIN modules at a first level for receiving data associated with aggregated branch and state metrics, the outputs of two MIN modules being provided to a MIN* module.

- 8. The turbo decoder of claim 1 wherein the codeword resolver includes two MIN modules at a first level for receiving data associated with aggregated branch and state metrics, the outputs of two MIN modules being provided to a MIN* module, the MIN* module having a subtractor, a multiplexer controller, and a control module for performing correction operations in accordance with control signals received from the multiplexer controller.
- 9. The turbo decoder of claim 1 wherein the likelihood relationship is a likelihood that a particular un-normalized distance from the manipulated branch and state metrics pairs to the codeword, when compared to un-normalized distances to other codewords, indicates that the codeword is correct.
- 10. A MIN* operator for use in a soft input soft output (SISO) decoder associated with a turbo decoder, comprising:
- a subtractor for receiving data to be decoded, the data associated with aggregated branch and state metrics;
- a correction module for performing correction operations on data received from the subtractor, the correction module including a pair of lookup tables, and a plurality of multiplexers; and
- a multiplexer controller for controlling operation of the plurality of multiplexers in the correction module to effect the correction operations in accordance with control signals generated by the multiplexer controller.
 - 11. The MIN* operator of claim 10 wherein the pair of lookup tables includes a positive value lookup table and a negative value lookup table.
- 12. The MIN* operator of claim 10 wherein each of the pair of lookup tables has 4 entries.
- 13. The MIN* operator of claim 10 wherein the multiplexer controller includes a plurality of control units.

5

10

15

20

25

- 14. The MIN* operator of claim 13 the plurality of control units in the multiplexer controller is equal to the plurality of multiplexers in the correction module.
- 15. A method of soft input soft output decoding for resolving a sequence of samples to a codeword in a known set of codewords, the method comprising:

receiving a plurality of branch metric and state metric pairs related to the sequence of samples;

aggregating related branch and state metric pairs; and

resolving the aggregated branch and state metric pairs to the codeword in the set in accordance with an un-normalized likelihood relationship between the aggregated branch and state metrics pairs and the known set of codewords.

10

5